

Carbamazepine (Tegretol)

Туре	Safety	Efficacy	Recommended?
1	2	3	\otimes
Pharmaceutical	Some potential for harm	Evidence of no effect	No

In detail:		
Claims for treatment	That anticonvulsants potentially reduce central auditory hyperactivity that may be related to tinnitus ¹ .	
What is the treatment?	Carbamazepine is taken in tablet, liquid or suppository form.	
What are the downsides of this treatment?	Common side effects from clinical trials included nausea, dizziness, headache, tiredness ² .	
Has there been research into this treatment?	Yes, but very limited ^{3 4 5} .	
What does the research say?	Carbamazepine is not more effective than placebo in decreasing tinnitus severity ⁵ . There is no evidence to show that anticonvulsants have a large positive effect in the treatment of tinnitus ² .	
	Use of these drugs for epilepsy may result in tinnitus and other auditory dysfunctions ⁶	

Tinnitus UK try very hard to make sure our information is right, but this information should not be taken as medical advice. You should always check with your doctor before trying any tinnitus treatment.

How high quality is the research?*	B-
Tinnitus UK's opinion on this treatment:	There is no evidence to show that carbamazepine has an impact on tinnitus. Use of anticonvulsants for epilepsy may result in tinnitus and other auditory dysfunctions ⁶
Would Tinnitus UK support further studies into this treatment?	Yes, provided study is of high quality.

^{*} A = Systematic review/meta analysis. B = Randomised control studies. C = Cohort studies. D = Case control studies. E = case studies/reports. +/- to be used to indicate quality within bands

For further information

The Tinnitus UK Tinnitus Support Team can answer your questions on any tinnitus related topics:

Telephone 0800 018 0527
Web chat tinnitus.org.uk
Email helpline@tinnitus.

org.uk

Text/SMS **07537 416841**

We also offer a free tinnitus e-learning programme, Take on Tinnitus at takeontinnitus.co.uk

References

All online references accessed 9 November 2022 unless noted.

1. Tunkel DE, Bauer CA, Sun GH, et al. Clinical Practice Guideline: Tinnitus. Otolaryngology-Head and Neck Surgery. (2014) 151(2_suppl): S1-S40. doi:10.1177/0194599814545325

- 2. Hoekstra CEL, Rynja SP, van Zanten GA, Rovers MM. Anticonvulsants for tinnitus. *Cochrane Database of Systematic Reviews* (2011) Issue 7. Art. No.: CD007960. DOI: 10.1002/14651858. CD007960.pub2.
- 3. Donaldson I. Tegretol: a double blind trial in tinnitus. *Journal of Laryngology and Otology.* (1981) 95: 947-951
- 4. Hulshof JH, Vermeij P. The value of carbamazepine in the treatment of tinnitus. *ORL: Journal of Oto-Rhino-Laryngology and Its Related Specialties* (1985) 47:262-6
- 5. Gerami H, Saberi A, Nemati S, Kazemnejad E, Aghajanpour M. Effects of oxcarbazepine versus carbamazepine on tinnitus: A randomized double-blind placebo-controlled clinical trial. *Iranian Journal of Neurology.* (2012) 11(3):106–110.
- 6. Hamed SA. The auditory and vestibular toxicities induced by antiepileptic drugs, *Expert Opinion on Drug Safety*, (2017) 16:11, 1281-1294, DOI: 10.1080/14740338.2017.1372420

Tinnitus UK try very hard to make sure our information is right, but this information should not be taken as medical advice. You should always check with your doctor before trying any tinnitus treatment.

Feedback

We welcome feedback on all our information.

You can pass your comments to our Communications Team by calling us on **0114 250 9933**, emailing **communications@tinnitus.org.uk** or by writing to us at the address below.

Document information

Author Nic Wray Version 1.0

Issue date November 2022 Review date November 2025

© Tinnitus UK



Tinnitus UK

Ground Floor, Unit 5, Acorn Business Park, Woodseats Close, Sheffield S8 0TB

Email **helpline@tinnitus.org.uk**

Tinnitus UK. Registered charity no: 1011145 | Registered in England | Company limited by guarantee no: 2709302

Tinnitus UK try very hard to make sure our information is right, but this information should not be taken as medical advice. You should always check with your doctor before trying any tinnitus treatment.